













Vasospasm of intra-arterial interventions for cerebral vasospasm in surgical clipping and endovascular coiling populations. *J NeuroIntervent Surg* 2 (2010): 139-144.

8. Dorsch NWC, King MT. A review of cerebral vasospasm in aneurysmal subarachnoid hemorrhage. Part I. Incidence. *Neurosurgery* 19 (1986): 19-26.
9. Komotar R, Zacharia B, Otten ML, et al. Controversies in the endovascular management of cerebral vasospasm after intracranial aneurysm rupture and future directions for therapeutic approaches. *Neurosurgery* 62 (2008): 897-905.
10. Komotar RJ, Zacharia BE, Valhora R, et al. Advances in vasospasm treatment and prevention. *J Neurol Sci* 261 (2007): 134-142.
11. Jindal A, Mahapatra A. Transcranial Doppler in neurological disorders. *Neurol India* 47 (1999): 166-167.
12. Goh H, Hwang W, Kim D, et al. Ischaemia after early aneurysm surgery. *Arch Neurol* 45 (1988): 325-332.
13. Sillman P, et al. Management and emerging therapeutic strategies in aneurysmal subarachnoid haemorrhage. *Lancet Neurol* 9 (2010): 504-519.
14. Doherty D, et al. Papaverine as an adjunct to transluminal angioplasty for vasospasm induced by subarachnoid hemorrhage. *AJNR Am J Neuroradiol* 14 (1993): 346-347.
15. Rosenwasser RH, Armonda RA, Thomas JE, et al. Therapeutic modalities for the management of cerebral vasospasm: timing of endovascular options. *Neurosurgery* 44 (1999): 975-979.
16. Park J, et al. Repeat intra-arterial papaverine for recurrent cerebral vasospasm after subarachnoid hemorrhage. *Neuroradiology* 39 (1997): 751-759.
17. O'Connell J, et al. Aggravation of vasospasm with papaverine infusion following aneurysmal subarachnoid hemorrhage. Case report *J Neurosurg* 84 (1996): 690-695.
18. Miller JA, Cross DT, Moran CJ, et al. Severe thrombocytopenia following intraarterial papaverine administration for treatment of vasospasm. *J Neurosurg* 83 (1995): 435-437.
19. O'Connell J, et al. Intracranial pressure changes induced during papaverine infusion for treatment of vasospasm. *J Neurosurg* 83 (1995): 430-434.
20. Fraticelli AT, Cholley BP, Losser MR, et al. Milrinone for the treatment of cerebral vasospasm after aneurysmal subarachnoid hemorrhage. *Neuroradiology* 53 (2011): 123-128.
21. Biondi A, Ricciardi GK, Puybasset L, et al. Intra-arterial nimodipine for the treatment of symptomatic cerebral vasospasm after aneurysmal subarachnoid hemorrhage: preliminary results. *AJNR Am J Neuroradiol* 25 (2004): 1067-1076.
22. Cho WS, Kang HS, Kim JE, et al. Intra-arterial Nimodipine infusion for cerebral vasospasm in patients with aneurysmal subarachnoid hemorrhage. *Interv Neuroradiol* 17 (2011): 169-178.
23. Rho S, et al. Aneurysmal subarachnoid hemorrhage? *Br J Neurosurg* 30 (2016): 407-410.
24. Cho WS, Kang HS, Kim JE, et al. Intra-arterial Nimodipine infusion for cerebral vasospasm complicating subarachnoid hemorrhage. *Clin Radiol* 60 (2005): 1030-1036.
25. O'Meara J, et al. Intra-arterial nimodipine administration in severe symptomatic vasospasm after subarachnoid hemorrhage. *Neurosurgery* 68 (2011): 1541-1547.
26. Wang C, et al. Arterial application of nimodipine in refractory cerebral vasospasm due to aneurysmal subarachnoid hemorrhage. *Biomed Res Int* (2014): 970741.
27. Wolf S, Martin H, Landscheidt JF, et al. Continuous selective intra-arterial infusion of nimodipine for therapy of refractory cerebral vasospasm. *Neurocrit Care* 12 (2010): 346-351.
28. Kassell NF, Torner JC, Haley EC, et al. The international cooperative study on the timing of aneurysm surgery. *J Neurosurg* 79 (1990): 18-47.