



















- detection. *Protein. Expr. Purif* 186 (2021): 105908-105914.
42. Liu P, Zong Y, Jiang S, et al. Development of a Nucleocapsid Protein-Based ELISA for Detection of Human IgM and IgG Antibodies to SARS-CoV-2. *ACS Omega* 6 (2021): 9667-9671.
  43. Lobaina Y, Musacchio A, Ai P, et al. Cloning, expression, purification and characterization of the recombinant nucleocapsid protein from SARS-CoV-2 and its combination with a CpG ODN-39M. *Revis Bionatura* 8 (2023): 21-30.
  44. Rump A, Risti R, Kristal M, et al. Dual ELISA using SARS-CoV-2 nucleocapsid protein produced in *E. coli* and CHO cells reveals epitope masking by N-glycosylation. *Biochem Biophys Res Commun* 534 (2021): 457-460.
  45. Tian Y, Zhang G, Liu H, et al. Screening and identification of B cell epitope of the nucleocapsid protein in SARS-CoV-2 using the monoclonal antibodies. *Appl Microbiol Biotechnol* 106 (2022): 1151-1164.
  46. Al-Hawash A, Zhang X, Ma, F. Strategies of codon optimization for high-level heterologous protein expression in microbial expression systems. *Gene Rep* 46 (2017): 46-53.
  47. Kaur J, Kumar A, Kaur J. Strategies for optimization of heterologous protein expression in *E. coli*: roadblocks and reinforcements. *Int J Biol Macromol* (2018): 803-822.
  48. Wu F, Zhao S, Yu B, et al. A new coronavirus associated with human respiratory disease in China. *Nature* 579 (2020): 265-269.
  49. Puigbò P, Guzmán E, Romeu A, et al. OPTIMIZER: a web server for optimizing the codon usage of DNA sequences. *Nucleic. Acids. Res* 35 (2007): W126-W131.
  50. Zhiming T, Guangyuan H, Kexiu L, et al. An improved system for competent cell preparation and high efficiency plasmid transformation using different *Escherichia coli* strains. *Electron. J Biotechnol* (2005): 114-122.
  51. Laemmli U. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227 (1970): 680-685.
  52. Briceño E, Suárez E, Michelangi C, et al. (2002) Código de Bioética y Bioseguridad. Ministerio de Ciencia y Tecnología (FONACIT). 2da Edición. Venezuela.
  53. Vidal L, Figueira-Mansur J, Jurgilas P, et al. Process development and characterization of recombinant nucleocapsid protein for its application on COVID-19 diagnosis. *Protein. Expr. Purif* 207 (2023): 106263-106273.
  54. Verma V, Kasana A. Production of SARS-CoV-2 nucleocapsid protein in *Escherichia coli* and its characterization. *JABB* 11 (2022): 250-255.
  55. Studier F. Protein production by auto-induction in high density shaking cultures. *Protein. Expr. Purif* 41 (2005): 207-234.
  56. Bashir H, Ahmed N, Khan M, et al. Simple procedure applying lactose induction and one-step purification for high-yield production of rhCIFN. *Biotechnol. Appl. Biochem* (2016): 708-714.
  57. Haishan T, Lu T, Yi W, et al. Lactose Induction Increases Production of Recombinant Keratinocyte Growth Factor-2 in *Escherichia coli*. *Int J Pept Res Ther* 17 (2011): 123-129.
  58. Khan W, Khan N, Mishra A, Gupta S, Bansode V, et al. Dimerization of SARS-CoV-2 nucleocapsid protein affects sensitivity of ELISA based diagnostics of COVID-19. *Int J Biol Macromol* (2022): 428-437.
  59. Lutomski C, El-Baba T, Bolla j, et al. Autoproteolytic Products of the SARS-CoV-2 Nucleocapsid Protein are Primed for Antibody Evasion and Virus Proliferation. *bioRxiv* (2020).
  60. Lutomski C, El-Baba T, Bolla J, et al. Multiple Roles of SARS-CoV-2 N Protein Facilitated by Proteoform-Specific Interactions with RNA, Host Proteins, and Convalescent Antibodies. *JACS* 1 (2021): 1147-1157.
  61. Smith I, Kelleher N, Consortium for Top Down Proteomics Proteoform: a single term describing protein complexity. *Nat Methods* 10 (2013): 186-187.
  62. Di D, Dileepan M, Ahmed S, et al. Recombinant SARS-CoV-2 Nucleocapsid Protein: Expression, Purification, and Its Biochemical Characterization and Utility in Serological Assay Development to Assess Immunological Responses to SARS-CoV-2 Infection. *Pathogens* 10 (2021): 1039-1043.
  63. Kolesov D, Sinegubova M, Safenkova I, et al. Antigenic properties of the SARS-CoV-2 nucleoprotein are altered by the RNA admixture. *Peer J* 10 (2022): 12751-12590.
  64. Ramón A, Señorale-Pose M, Marín M. Inclusion bodies: not that bad. *Front Microbiol* 5 (2014): 1-6.
  65. Hellebust H, Murby M, Abrahmsén L. Different Approaches to Stabilize a Recombinant Fusion Protein. *Nat Biotechnol* 7 (1989): 165-168.
  66. Marston F. The purification of eukaryotic polypeptides synthesized in *Escherichia coli*. *Biochem J* 240 (1986): 1-12.